

A Working Group Draft Standard of the Joint Committee

NTCTIP 1401 v. 1.03

-- DRAFT Amendment 1

Transit Communications Interface Profiles

**Part of the National Transportation Communications for
ITS Protocol**

Standard on Common Public Transportation (CPT) Objects

DRAFT August, 2002

Also referenced as TCIP-CPT

This is a draft document, which is distributed for review and comment purposes only. You may reproduce and distribute this document within your organization, but only for the purposes of and only to the extent necessary to facilitate review and comment to the **TCIP WG Chair**. Please ensure that all copies reproduced or distributed bear this legend. This document contains preliminary information that is subject to change.

Published by

American Association of State Highway and Transportation Officials (AASHTO)

444 North Capitol St., N.W., Suite 249
Washington, D.C. 20001

Institute of Transportation Engineers (ITE)

1099 14th Street, N.W., Suite 300 West
Washington, D.C. 20005-3438

National Electrical Manufacturers Association (NEMA)

1300 North 17th Street, Suite 1847
Rosslyn, Virginia 22209-3801

© Copyright 2002 AASHTO / ITE / NEMA. All rights reserved.

© 2002 by the American Association of State Highway and Transportation Officials (AASHTO), the Institute of Transportation Engineers (ITE), and the National Electrical Manufacturers Association (NEMA). All intellectual property rights, including, but not limited to, the rights of reproduction in whole or in part in any form, translation into other languages and display are reserved by the copyright owners under the laws of the United States of America, the Universal Copyright Convention, the Berne Convention, and the International and Pan American Copyright Conventions. Except for the electronic Data Dictionary, do not copy without written permission of either AASHTO, ITE, or NEMA.

FOREWORD

This document uses only metric units.

This document is an NTCIP Information Data Dictionary Standard. Information Data Dictionaries Standards formally express management information in terms of objects (data elements, data frames, and messages) for use within TCIP and NTCIP systems.

The TCIP family of standards addresses Advanced Public Transportation Systems (APTS) data interfaces and related automated transit tools and data. The standards address the business requirements of these APTS data interfaces. In some cases, specialized terms were needed to define general classes of information. For example, different business areas needed to define data elements related to time, date and footnotes. Special, constrained data types were developed so that the transit domain data concepts were consistent across business areas, while specific needs were met. These data types are defined within the TCIP family of standards and in this document.

For more information about NTCIP standards, visit the NTCIP Web Site at <http://www.ntcip.org>. For a hardcopy summary of NTCIP information, contact the NTCIP Coordinator at the address below.

In preparation of this NTCIP document, input of users and other interested parties was sought and evaluated. Inquires, comments, and proposed or recommended revisions should be submitted to:

NTCIP Coordinator
National Electrical Manufacturers Association
1300 North 17th Street, Suite 1847
Rosslyn, Virginia 22209-3801
fax: (703) 841-3331
e-mail: ntcip@nema.org

Approvals

This document will be separately balloted and approved by AASHTO, ITE, and NEMA after recommendation by the Joint Committee on the NTCIP. Each organization is expected to approve this NTCIP Information Data Dictionary Standard as the following standard type, as of the date:

AASHTO – Standard Specification; Month YYYY
ITE – Software Standard; Month YYYY
NEMA – Standard; Month YYYY

History

From 1997 to 1999, this document was referenced as ITE ST-ITS-TCIP-CPT and/or NEMA TS 3.TCIP-CPT. However, to provide an organized numbering scheme for the NTCIP, this document is now referenced as NTCIP 1401. The technical specification of NTCIP 1401 is identical to the former reference, except as noted in the development history:

TCIP documents version 0.1. Distributed in September 1997 for public review.

TCIP-CPT Recommended Standard version 1.0, February 20, 1998, changed to version 1.1, July 31, 1998. Revisions included: Former section numbers 2.1, 4.3, 5.1, and 5.2.

NTCIP 1401 version 97.01.01, July 31, 1998. Approved by AASHTO in July 1999, approved by ITE in October 1999, and approved by NEMA in February 2000.

NTCIP 1401 v01.02, March 1, 2001. Incremented version number and updated date; added and revised front matter; updated references to NTCIP and NEMA document numbers in References Clause; updated references to ITE document numbers; inserted introduction text in Section on Requirements; deleted Annex A Comment Form; and inserted Introduction text in Annex on the ASN.1 Script.

Draft NTCIP 1401 v01.03 Amendment 1, August 2002. Updated version 01.02 according to the changes contained in this document.

If you are not willing to abide by the following copyright statement, return these materials immediately.

Joint AASHTO, ITE, and NEMA
NTCIP Management Information Base, Data Dictionary, and ASN.1 Script
DISTRIBUTION NOTICE

To the extent and in the limited event these materials are distributed by AASHTO/ITE/NEMA in the form of a Data Dictionary and ASN.1 Script ("DD"), AASHTO / ITE / NEMA extends the following permissions:

- (i) you may make and/or distribute unlimited copies (including derivative works) of a Data Dictionary (DD), including copies for commercial distribution, provided that (a) each copy you make and/or distribute contains this Notice;
- (ii) use of the DD is restricted in that the syntax field may be modified only to reflect a more restrictive subrange or enumerated values;
- (iii) the description field may be modified but only to the extent that: (a) only those bit values or enumerated values that are supported are listed; and (b) the more restrictive subrange is expressed.

These materials are delivered "AS IS" without any warranties as to their use or performance.

AASHTO / ITE / NEMA AND THEIR SUPPLIERS DO NOT WARRANT THE PERFORMANCE OR RESULTS YOU MAY OBTAIN BY USING THESE MATERIALS. AASHTO/ITE/NEMA AND THEIR SUPPLIERS MAKE NO WARRANTIES, EXPRESS OR IMPLIED, AS TO NONINFRINGEMENT OF THIRD PARTY RIGHTS, MERCHANTABILITY, OR FITNESS FOR ANY PARTICULAR PURPOSE. IN NO EVENT WILL AASHTO, ITE, OR NEMA OR THEIR SUPPLIERS BE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY CLAIM OR FOR ANY CONSEQUENTIAL, INCIDENTAL, OR SPECIAL DAMAGES, INCLUDING ANY LOST PROFITS OR LOST SAVINGS, ARISING FROM YOUR REPRODUCTION OR USE OF THESE MATERIALS, EVEN IF AN AASHTO, ITE, OR NEMA REPRESENTATIVE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Some states or jurisdictions do not allow the exclusion or limitation of incidental, consequential, or special damages, or the exclusion of implied warranties, so the above limitations may not apply to you.

Use of these materials does not constitute an endorsement or affiliation by or between AASHTO, ITE, or NEMA and you, your company, or your products and services.

Disclaimer

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

AASHTO, ITE, and NEMA standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic

covered by this publication. While AASHTO, ITE, and NEMA administer the process and establish rules to promote fairness in the development of consensus, they do not write the document and they do not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in their standards and guideline publications.

AASHTO, ITE, and NEMA disclaim liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. AASHTO, ITE, and NEMA disclaim and make no guaranty or warranty, express or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. AASHTO, ITE, and NEMA do not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, AASHTO, ITE, and NEMA are not undertaking to render professional or other services for or on behalf of any person or entity, nor are AASHTO, ITE, and NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

AASHTO, ITE, and NEMA have no power, nor do they undertake to police or enforce compliance with the contents of this document. AASHTO, ITE, and NEMA do not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to AASHTO, ITE, or NEMA and is solely the responsibility of the certifier or maker of the statement.

NTCIP is a trademark of AASHTO / ITE / NEMA.

Section 1 GENERAL

1.2.1 Normative References

-- Updated the publications information for Normative References

draft NTCIP 1400:2002 Amendment 1, *Transit Communications Interface Profile Framework*, version 1.05 Amendment 1.

draft NTCIP 1403:2002 Amendment 1, *Transit Communications Interface Profile, Standard on Passenger Information Objects*, version 1.03 Amendment 1, August, 2002.

draft NTCIP 1404:2002 Amendment 1, *Transit Communications Interface Profile, Standard on Scheduling and Runcutting Objects*, version 1.03 Amendment 1, August, 2002.

draft NTCIP 1405:2002 Amendment 1, *Transit Communications Interface Profile, Standard on Spatial Representation Objects*, version 1.03 Amendment 1, August, 2002.

draft NTCIP 1406:200x Amendment 1, *Transit Communications Interface Profile, Standard on Control Center Objects*, version 1.03 Amendment 1, August, 2002.

draft NTCIP 1407:200x Amendment 1, *Transit Communications Interface Profile, Standard on On-Board Objects*, version 1.03 Amendment 1, August, 2002.

ISO/IEC 8824:1998, *Abstract Syntax Notation One (ASN.1)*

SAE J1587 – Joint SAE/TMC Recommended Practice for Electronic Data Interchange Between Microcomputer Systems in Heavy Duty Vehicle Applications, February 2002.

1.2.2 Informative References

-- Updated the publications information for Informative References

IEEE Std 1489-1999, *IEEE Standard for Data Dictionaries for Intelligent Transportation Systems*. 27 October 1999.

IEEE Std 1488-2000, *IEEE Trial-Use Standard for Message Set Template for Intelligent Transportation Systems*. 13 July 2000.

Section 2 TERMINOLOGY

2.4 SUBTYPE DEFINITIONS

2.4.2 Date and Time Subtypes

-- Modify date time value domain to be consistent with IEEE 1489:1999.

DATETIME ::= ULONG

Where DATETIME is based on GPS time, where according to IEEE 1489:1999, GPS time “is a specific point .. in a calendar day expressed in terms of seconds since midnight on the night of 5 January 1980/morning of 6 January 1980. GPS may differ from UTC as UTC is corrected periodically with an integer number of leap seconds.”

-- Modify subtype definition for SCHTIME to be consistent with definition.

SCHTIME ::= LONG

Section 3
CONCEPT OF OPERATIONS

-- Changed Section name to Concept of Operations

Section 4 REQUIREMENTS

4.1 COMMON PUBLIC TRANSPORTATION DATA DICTIONARY

CPT_FrequencyBandType_cd

(1) *The error codes shall be removed from the code list.*

Descriptive Name	CPT_FrequencyBandType_cd
Representation class term	code

CPT_Mode_cd/NTD

(1) *Added the following:*

- PR- Personal rapid transit**
- WT-Water Taxi**
- TC - Taxi Cabs**
- HB-Hybrid Bus**

** Not included in NTD*

(2) *Deleted MM multimode*

(3) *Added web reference to NTD*

Representation layout	CPT-Mode ::= IA5String {AG CC CR DR FB HR IP JT LR MB MO PB TB TR VP OR DM PR WT TC HB} (SIZE(1..2))
Value Domain	NTD (see www.ntdprogram.com)
Valid value rule	AG- Automated Guideway CC- Cable Car CR- Commuter Rail DR- Demand Responsive FB- FerryBoat HR- Heavy Rail IP- Inclined Plane JT- Jitney LR- Light Rail MB- Bus MO- Monorail PB- Publico TB- Trolleybus TR- Aerial Tramway VP- Vanpool OR- Other DM- Dual Mode* PR- Personal rapid transit* WT-Water Taxi* TC - Taxi Cabs* HB-Hybrid Bus*

** Not included in NTD*

CPT_OperatorBaselD_id

(1) *The Representative class term (in descriptive name and field) shall be modified to identifier (id).*

Descriptive Name CPT_OperatorBaselD_id
Representation class term identifier

CPT_OperatorID_id

(1) *The Representative class term (in descriptive name and field) shall be modified to identifier (id).*

Descriptive Name CPT_OperatorID_id
Representation class term identifier

CPT_OrganizationalUnitID_id

(1) *The Representative class term (in descriptive name and field) shall be modified to identifier (id).*

Descriptive Name CPT_OrganizationalUnitID_id
Representation class term identifier

CPT_PadType_cd

(1) *The error codes shall be removed from the code list.*

Representation layout CPT-PadType ::= INTEGER
{ dirt (1),
concreteWithNoWalk (2), -- no connection to a sidewalk
concreteStructure (3), -- part of a structure
concreteSidewalk (4), -- part of a sidewalk
asphaltShoulder (5), -- shoulder of a road
asphaltSeparte (6), -- separate from a road or sidewalk
brick (7),
wood (8),
-- 9-149 reserved
-- 150-255 local use
}(0..255)

Valid value rule 1- Dirt
2- Concrete, not connected to a sidewalk
3- Concrete, part of a structure
4- Concrete, part of a sidewalk
5- Asphalt, shoulder of a road
6- Asphalt, separate from a road or sidewalk
7-Brick
8-Wood
9-149 Reserved
150-255 Local use

CPT_PlatformType_cd

(1) *The error codes shall be removed from the code list.*

Representation layout CPT-PlatformType ::= INTEGER{
woodLow (1),
woodHigh (2),
concretePad (3),
concreteHigh (4),
-- 5-149 reserved

-- 150-255 local use
} (0..255)

Valid value rule

- 1-Wood low
- 2- Wood high
- 3- Concrete pad
- 4- Concrete high
- 5- 149 Reserved
- 150-255 Local use

CPT_PriorityAttribute_cd

(1) *The error codes shall be removed from the code list.*

Representation layout

```
CPT-PriorityAttribute ::= INTEGER{
severityLevel (1),
proximity (2),
volume (3),
time (4), -- time of month/day of week/day/time of day
devicesEffectd (5),
contractual (6),
infrastructural (7), -- critical infrastructure
safety (8),
revenue (9),
disruptionToService (10),
-- 11-149 reserved
-- 150-255 local use
} (0..255)
```

Valid value rule

- 1- Severity Level
- 2- Location/proximity of support to event
- 3- Volume (usage)
- 4- Time of month/day of week/day/time of day
- 5- Number of devices effected
- 6- Contractual issues
- 7- Critical infrastructure
- 8- Safety
- 9- Revenue
- 10- Disruption to service
- 11-149 Reserved
- 150-255 Local use

CPT_PTVehicleTypeDescription_cd/NTD

(1) *Corrected typo in ASN.1 name.*

ASN1 name CPT-PTVehicleTypeDescription

CPT_PTVehicleAttribute_cd

(1) *The error codes shall be removed from the code list.*

Representation layout

```
CPT-PTVehicleAttribute ::= INTEGER{
bikeRack (1), -- Bike rack
camera (2), -- Surveillance camera
tieDown (3), -- Wheel chair tie-down
lift (4), -- Lift
skiRack (5), -- Ski rack
surfboardRack (6), -- Surfboard rack
concession (7), -- Food service/ concession
restroom (8), -- Restroom
farebox (9), -- Farebox
pos (10), -- Point of sale
```

change (11), -- Change (for POS)
-- 12-149 reserved
-- 150-255 local use
}(0..255)

Valid value rule

1- Bike rack
2- Surveillance camera
3- Wheel chair tie-down
4- Lift
5- Ski rack
6- Surfboard rack
7- Food service/concession
8- Restroom
9- Fare box
10- POS
11- Change (for POS)
12- 149 Reserved
150-255 Local Use

CPT_PTVehicleID_id

(1) *The Representative class term (in descriptive name and field) shall be modified to identifier (id).*

Descriptive Name CPT_PTVehicleID_id
Representation class term identifier

CPT_PTVehicleType_cd

(1) *The error codes shall be removed from the code list.*

Representation layout

CPT-PTVehicleType ::= INTEGER{
twentyfiveRevenue (1), -- 25' Revenue
thirtyRevenue (2), -- 30' Revenue
fortyRevenue (3), -- 40' Revenue
articulated (4), -- Articulated
cng (5), -- CNG
lng (6), -- LNG
supervisor (7), -- Supervisor
police (8), -- Police
towTruck (9), -- Tow truck
shelterService (10), -- Shelter service truck
van (11), -- Van
passengerVehicle (12), -- Passenger vehicle
lightRail (13), -- Light rail car
commuterRail (14), -- Commuter rail car
heavyRail (15), -- Heavy rail car
-- 16-149 reserved
-- 150-255 local use
}(0..255)

Valid value rule

1- 25' Revenue
2- 30' Revenue
3- 40' Revenue
4- Articulated
5- CNG
6- LNG
7- Supervisor
8- Police
9- Tow truck
10- Shelter service truck
11- Van
12- Passenger vehicle
13- Light rail car
14- Commuter rail car
15- Heavy rail car

16-149 Reserved
150-255 Local Use

If codes 150-255 are used, they must be defined in CPT-PTVehicleTypeDescription data element.

CPT_RadioZoneID_id

(1) *The Representative class term (in descriptive name and field) shall be modified to identifier (id).*

Descriptive Name CPT_RadioZoneID_id
Representation class term identifier

CPT_ChannelAttribute_cd

(1) *The error codes shall be removed from the code list.*

(2)

Representation layout CPT-ChannelAttribute ::= INTEGER{
trunk (1),
conventional (2),
full (3),
half (4),
quarter (5),
digital (6),
analog (7),
voice (8),
data (9),
-- 10-149 reserved
-- 150-255 local use
} (0..255)

Valid value rule 1- Trunk
2- Conventional
3- Full
4- Half
5- Quarter
6-Digital
7- Analog
8- Voice
9- Data
10-149 Reserved
150-255 Local use

CPT_ChannelID_id

(1) *The Representative class term (in descriptive name and field) shall be modified to identifier (id).*

Descriptive Name CPT_ChannelID_id
Representation class term identifier

CPT_DayofWeek_cd

(1) *The error codes shall be removed from the code list.*

Representation layout CPT-DayofWeek ::= INTEGER
{ sunday (1),
monday (2),
tuesday (3),
wednesday (4),
thursday (5),

```
friday (6),  
saturday (7),  
-- 8-149 reserved  
-- 150-255 local use  
}(0..255)
```

Valid value rule

- 1- Sunday
- 2- Monday
- 3- Tuesday
- 4- Wednesday
- 5- Thursday
- 6- Friday
- 7- Saturday
- 8-255 Reserved (not used)

CPT_EmployeeID_id

(1) *The Representative class term (in descriptive name and field) shall be modified to identifier (id).*

Descriptive Name CPT_EmployeeID_id
Representation class term identifier

CPT_EmployeeJobCategory_cd

(1) *The error codes shall be removed from the code list.*

Representation layout

```
CPT-EmployeeJobCategory ::= INTEGER  
{ fullTimeOperator (1),  
partTimeOperator (2),  
conductor (3),  
engineer (4),  
maintenance (5),  
supervisor (6), -- also manager  
revenueCollector (7),  
dispatcher (8),  
-- 9-99 reserved  
-- 100-65535 local use  
}(0..65535)
```

Valid value rule

- 1- Full time operator
- 2- Part time operator
- 3- Conductor
- 4- Engineer
- 5- Maintenance
- 6- Supervisor/manager
- 7- Revenue collector
- 8- Dispatcher
- 9-99 Reserved
- 100-65535 Local use

If codes 100-65535 (local use) are used, then CPT-EmployeeJobCategoryDesc should contain a detailed description of the job title.

CPT_FareZoneID_id

(1) *The Representative class term (in descriptive name and field) shall be modified to identifier (id).*

Descriptive Name CPT_FareZoneID_id
Representation class term identifier

CPT_Sex_cd/ISO/IEC 5218

(1) *Added comment to the Remarks.*

Remarks Note: This data element will soon be retired and the ITS data dictionary element will be used.

CPT_ShelterID_id

(1) *The Representative class term (in descriptive name and field) shall be modified to identifier (id).*

Descriptive Name CPT_ShelterID_id
Representation class term identifier

CPT_ShelterType_cd

(1) *The error codes shall be removed from the code list.*

Representation layout CPT-ShelterType ::= INTEGER{
noShelter (1),
covered (2),
open (3),
enclosed (4),
-- 5-149 reserved
-- 150-255 local use
}(0..255)

Valid value rule 1- No shelter
2- Covered
3- Open air
4- Enclosed
5-149 Reserved
150-255 Local use

CPT_StopPointAttribute_cd

(1) *The error codes shall be removed from the code list.*

Representation layout CPT-StopPointAttribute ::= INTEGER{
busShelter (1),
bikeRack (2),
concession (3),
escalator (4),
elevator (5),
informationKiosk (6),
safetyZone (7),
lighting (8),
restroom (9), -- public
telephone (10),
fareSeller (11), -- fare media sales office/booth
seating (12),
surveillance (13), -- camera
tdd (14), -- telephone for the hearing impaired
faregate (15), -- turnstile
informationMonitor (16),

ramp (17), -- wheelchair access
foodService (18),
-- 19-149 reserved
-- 150-255 local use
} (0..255)

Valid value rule

1- Bus Shelter
2- Bike Rack
3- Concession
4- Escalator
5- Elevator
6- Information Kiosk
7- Late night safety zone
8- Lighting
9- Public Restroom
10- Public telephone
11- Fare media sales office booth
12- Seating
13- Surveillance Camera
14- TDD (telephone and hearing impaired)
15- Turnstile/Fare gate
16- Information Monitor
17- Wheelchair ramp
18- Food service
19-149 Reserved
150-255 Local use

CPT_StopPointID_id

(1) *The Representative class term (in descriptive name and field) shall be modified to identifier (id).*

Descriptive Name CPT_StopPointID_id
Representation class term identifier

CPT_StopPointIDLong_id/NTD

(1) *The Representative class term (in descriptive name and field) shall be modified to identifier (id).*

Descriptive Name CPT_StopPointIDLong_id/NTD
Representation class term identifier

CPT_TransferClusterID_id

(1) *The Representative class term (in descriptive name and field) shall be modified to identifier (id).*

Descriptive Name CPT_TransferClusterID_id
Representation class term identifier

CPT_TransitFacilityID_id

(1) *The Representative class term (in descriptive name and field) shall be modified to identifier (id).*

Descriptive Name CPT_TransitFacilityID_id
Representation class term identifier

CPT_TransitFacilityType_cd

(1) The error codes shall be removed from the code list.

Representation layout

```
CPT-TransitFacilityType ::= INTEGER{
central (1), -- Central Office
garage (2), -- Garage
operatorBase (3), -- Operator base
busBase (4), -- Bus vehicle base
railBase (5), -- Rail vehicle base
modeVehBase (6), -- Multimodal vehicle base
busMaintenance (7), -- Bus Vehicle maintenance garage
railMaintenance (8), -- Rail Vehicle maintenance garage
modeVehMaintenanc (9), -- Multimode vehicle maintenance garage
centralMaintenance (10), -- Central maintenance facility
mow (11), -- Maintenance of Way (MOW)
fareSales (12), -- Fare media sales office
fleetOperations (13), -- Bus fleet operations center
railOperations (14), -- Rail operations center
policeAndEMC (15), -- Transit police and emergency service center
reservationsDR (16), -- Demand-responsive reservations center
dispatchDR (17), -- Demand-Responsive dispatch center
shelter (18), -- Shelter
revenueCollection (19), -- Revenue collection facility
centralWarehouse (20), -- Central warehouse
medical (21), -- Drug testing/medical facility
airport (22), -- Airport
parkingNonRevenuePTV (23), -- Non-revenue PTV parking
parkingEmployee (24), -- employee parking
parkingRevenuePTV (25), -- revenue vehicle parking
parkingCustomer (26), -- customer parking
parkingKandR (27), -- kiss&ride parking
constructionSite (28), -- construction site
propertyVacant (29), -- vacant property
propertyCommercial (30), -- commercial property
propertyRental (31), -- rental property
stationRail (32), -- rail station
port (33), -- slip, port
training (34), -- training center
storage (35), -- Store room/equipment storage
-- 36-149 reserved
-- 150-255 local use
}(0..255)
```

Valid value rule

- 1- Central Office
- 2- Garage
- 3- Operator Base
- 4- Bus vehicle base
- 5- Rail vehicle base
- 6- Multimodal vehicle base
- 7- Bus vehicle maintenance garage
- 8- Rail Vehicle maintenance garage
- 9- Multimode vehicle maintenance garage
- 10- Central maintenance facility
- 11- Maintenance of Way (MOW)
- 12- Fare media sales office
- 13- Bus fleet operations center
- 14- Rail operations center
- 15- Transit police and emergency service center.
- 16- Demand-responsive reservations center
- 17- Demand-responsive dispatch center
- 18- Shelter
- 19- Revenue collection facility
- 20- Central warehouse
- 21- Drug testing/medical facility
- 22- Airport
- 23- Non-revenue PTV parking
- 24- Employee parking
- 25- Revenue vehicle parking

- 26- Customer parking
- 27- Kiss & ride parking
- 28- Construction site
- 29- Vacant property
- 30- Commercial property
- 31- Rental property
- 32- Rail station
- 33- Slip, port
- 34- Training center
- 35- Store room/equipment storage
- 36-149 Reserved
- 150-255 Local use

If codes 150-255 are used, then CPT-TransitFacilityDescription should be completed.

CPT_VIN_id/ISO 3779

(1) The Representative class term (in descriptive name and field) shall be modified to identifier (id).

Descriptive Name	CPT_VIN_id/ISO 3779
Representation class term	identifier

4.2 MESSAGE SET

CptPriorityTable_message

(1) *Message Body: changed priorityList field from CPT-PriorityLevel to CptPriorityDefinition Type Reference.*

Message body CptPriorityTable ::=SEQUENCE {
startDate CPT-ActivationDate,
agency CPT-AgencyID OPTIONAL,
priorityList SEQUENCE OF CptPriorityDefinition
}

CptPTVehicle_message

(1) *Message Body: Remove field vehType CPT-PTVehicleType OPTIONAL*

Message body CptPTVehicle ::=SEQUENCE {
vehicleID CPT-PTVehicleID,
vehicleID-short CC-PTVehicleIDShort OPTIONAL
vin CPT-VIN OPTIONAL
seating CPT-PTVSeatingCapacity,
standing CPT-PTVStandingCapacity,
wheelChair CPT-PTVWheelChairCapacity,
vehicleType CPT-PTVehicleType OPTIONAL,
vehicleAttributes SEQUENCE OF CPT-PTVehicleAttribute OPTIONAL,
mode CPT-Mode,
manufacturer CPT-Manufacturer,
model CPT-Model,
modelYear CPT-VehicleModelYear,
rehabDate CPT-VehicleRehabDate OPTIONAL,
registration FOOTNOTE OPTIONAL,
componentList SEQUENCE OF OB-MID OPTIONAL,
vehTypeDesc CPT-PTVehicleTypeDescription OPTIONAL
}

CptSeverityTable_message

(1) *Message Body: changed priorityList field from CPT-SeverityLevel to CptSeverityDefinition Type Reference.*

Message body CptSeverityTable ::=SEQUENCE {
startDate CPT-ActivationDate,
agencyID CPT-AgencyID OPTIONAL,
levelList SEQUENCE OF CptSeverityDefinition
}

**Annex B
ASN.1 Script**

(Informative)

TBD