

# Golf Course (430)

## Person Trip Ends vs: Holes

On a: **Weekday,**

**Peak Hour of Adjacent Street Traffic,**

**One Hour Between 7 and 9 a.m.**

**Setting/Location: General Urban/Suburban**

Number of Studies: 1

Avg. Num. of Holes: 18


Directional Distribution: 79% entering, 21% exiting

## Person Trip Generation per Hole

Average Rate	Range of Rates	Standard Deviation
2.11	2.11 - 2.11	***

## Data Plot and Equation

*Caution – Small Sample Size*



# Golf Course (430)

Person Trip Ends vs: Holes

On a: Weekday,

AM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. Num. of Holes: 18


Directional Distribution: 79% entering, 21% exiting

## Person Trip Generation per Hole

Average Rate	Range of Rates	Standard Deviation
2.11	2.11 - 2.11	***

## Data Plot and Equation

Caution – Small Sample Size



# Golf Course (430)

Person Trip Ends vs: Holes

On a: Weekday,

PM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. Num. of Holes: 18


Directional Distribution: 40% entering, 60% exiting

## Person Trip Generation per Hole

Average Rate	Range of Rates	Standard Deviation
4.28	4.28 - 4.28	***

## Data Plot and Equation

Caution – Small Sample Size



# Bowling Alley (437)

## Person Trip Ends vs: Bowling Lanes

On a: **Weekday,**

**Peak Hour of Adjacent Street Traffic,**

**One Hour Between 7 and 9 a.m.**

**Setting/Location: General Urban/Suburban**

Number of Studies: 1

Avg. Num. of Bowling Lanes: 40


Directional Distribution: 96% entering, 4% exiting

## Person Trip Generation per Bowling Lane

Average Rate	Range of Rates	Standard Deviation
1.73	1.73 - 1.73	***

## Data Plot and Equation

*Caution – Small Sample Size*



# Bowling Alley (437)

## Person Trip Ends vs: Bowling Lanes

On a: **Weekday,**

**Peak Hour of Adjacent Street Traffic,**

**One Hour Between 4 and 6 p.m.**

**Setting/Location: General Urban/Suburban**

Number of Studies: 1

Avg. Num. of Bowling Lanes: 40


Directional Distribution: 69% entering, 31% exiting

## Person Trip Generation per Bowling Lane

Average Rate	Range of Rates	Standard Deviation
2.45	2.45 - 2.45	***

## Data Plot and Equation

*Caution – Small Sample Size*



# Bowling Alley (437)

Person Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 7 and 9 a.m.

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. 1000 Sq. Ft. GFA: 73


Directional Distribution: 96% entering, 4% exiting

## Person Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
0.95	0.95 - 0.95	***

## Data Plot and Equation

Caution – Small Sample Size



# Bowling Alley (437)

Person Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 4 and 6 p.m.

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. 1000 Sq. Ft. GFA: 73


Directional Distribution: 69% entering, 31% exiting

## Person Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
1.34	1.34 - 1.34	***

## Data Plot and Equation

Caution – Small Sample Size



# Bowling Alley (437)

## Walk Trip Ends vs: Bowling Lanes

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 7 and 9 a.m.

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. Num. of Bowling Lanes: 40


Directional Distribution: Not Available

## Walk Trip Generation per Bowling Lane

Average Rate	Range of Rates	Standard Deviation
0.03	0.03 - 0.03	***

## Data Plot and Equation

Caution – Small Sample Size





# Bingo Hall (470)

Person Trip Ends vs: Seats

On a: Weekday,

AM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. Num. of Seats: 816


Directional Distribution: 93% entering, 7% exiting

## Person Trip Generation per Seat

Average Rate	Range of Rates	Standard Deviation
0.23	0.23 - 0.23	***

## Data Plot and Equation

Caution – Small Sample Size



# Bingo Hall (470)

## Person Trip Ends vs: Seats

On a: **Weekday,**

**PM Peak Hour of Generator**

**Setting/Location: General Urban/Suburban**

Number of Studies: 1

Avg. Num. of Seats: 816


Directional Distribution: 8% entering, 92% exiting

## Person Trip Generation per Seat

Average Rate	Range of Rates	Standard Deviation
0.64	0.64 - 0.64	***

## Data Plot and Equation

*Caution – Small Sample Size*



# Bingo Hall (470)

Person Trip Ends vs: Attendees

On a: Weekday,

AM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. Num. of Attendees: 482


Directional Distribution: 93% entering, 7% exiting

## Person Trip Generation per Attendee

Average Rate	Range of Rates	Standard Deviation
0.39	0.39 - 0.39	***

## Data Plot and Equation

Caution – Small Sample Size



# Bingo Hall (470)

Person Trip Ends vs: Attendees

On a: Weekday,

PM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. Num. of Attendees: 482


Directional Distribution: 8% entering, 92% exiting

## Person Trip Generation per Attendee

Average Rate	Range of Rates	Standard Deviation
1.09	1.09 - 1.09	***

## Data Plot and Equation

Caution – Small Sample Size



# Bingo Hall (470)

## Walk Trip Ends vs: Seats

On a: **Weekday,**

**AM Peak Hour of Generator**

**Setting/Location: General Urban/Suburban**

Number of Studies: 1

Avg. Num. of Seats: 816


Directional Distribution: Not Available

## Walk Trip Generation per Seat

Average Rate	Range of Rates	Standard Deviation
0.00	0.00 - 0.00	***

## Data Plot and Equation

*Caution – Small Sample Size*



# Bingo Hall (470)

## Walk Trip Ends vs: Seats

On a: **Weekday,**

**PM Peak Hour of Generator**

**Setting/Location: General Urban/Suburban**

Number of Studies: 1

Avg. Num. of Seats: 816


Directional Distribution: Not Available

## Walk Trip Generation per Seat

Average Rate	Range of Rates	Standard Deviation
0.00	0.00 - 0.00	***

## Data Plot and Equation

*Caution – Small Sample Size*



# Bingo Hall (470)

Walk Trip Ends vs: Attendees

On a: Weekday,

AM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. Num. of Attendees: 482


Directional Distribution: Not Available

## Walk Trip Generation per Attendee

Average Rate	Range of Rates	Standard Deviation
0.01	0.01 - 0.01	***

## Data Plot and Equation

Caution – Small Sample Size



# Bingo Hall (470)

Walk Trip Ends vs: Attendees

On a: Weekday,

PM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. Num. of Attendees: 482


Directional Distribution: Not Available

## Walk Trip Generation per Attendee

Average Rate	Range of Rates	Standard Deviation
0.00	0.00 - 0.00	***

## Data Plot and Equation

Caution – Small Sample Size





# Racquet/Tennis Club (491)

Person Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

AM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. 1000 Sq. Ft. GFA: 4


Directional Distribution: 50% entering, 50% exiting

## Person Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
1.47	1.47 - 1.47	***

## Data Plot and Equation

Caution – Small Sample Size



# Racquet/Tennis Club (491)

Person Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

PM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. 1000 Sq. Ft. GFA: 4


Directional Distribution: 50% entering, 50% exiting

## Person Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
8.85	8.85 - 8.85	***

## Data Plot and Equation

Caution – Small Sample Size



# Health/Fitness Club (492)

Person Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

AM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. 1000 Sq. Ft. GFA: 29


Directional Distribution: 41% entering, 59% exiting

## Person Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
2.53	2.53 - 2.53	***

## Data Plot and Equation

*Caution – Small Sample Size*



# Health/Fitness Club (492)

Person Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

PM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. 1000 Sq. Ft. GFA: 29


Directional Distribution: 54% entering, 46% exiting

## Person Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
4.97	4.97 - 4.97	***

## Data Plot and Equation

*Caution – Small Sample Size*



# Health/Fitness Club (492)

Walk Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

AM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 1

Avg. 1000 Sq. Ft. GFA: 29


Directional Distribution: Not Available

## Walk Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
0.27	0.27 - 0.27	***

## Data Plot and Equation

Caution – Small Sample Size



# Health/Fitness Club (492)

**Walk Trip Ends vs: 1000 Sq. Ft. GFA**

**On a: Weekday,  
PM Peak Hour of Generator**

**Setting/Location: General Urban/Suburban**

Number of Studies: 1

Avg. 1000 Sq. Ft. GFA: 29

Directional Distribution: Not Available

## Walk Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
0.86	0.86 - 0.86	***

## Data Plot and Equation

*Caution – Small Sample Size*



# Recreational Community Center (495)

Person Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 7 and 9 a.m.

Setting/Location: General Urban/Suburban

Number of Studies: 2

Avg. 1000 Sq. Ft. GFA: 225


Directional Distribution: 74% entering, 26% exiting

## Person Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
2.32	2.15 - 2.50	***

## Data Plot and Equation

Caution – Small Sample Size



# Recreational Community Center (495)

**Person Trip Ends vs: 1000 Sq. Ft. GFA**

**On a: Weekday,**

**Peak Hour of Adjacent Street Traffic,**

**One Hour Between 4 and 6 p.m.**

**Setting/Location: General Urban/Suburban**

Number of Studies: 4


Avg. 1000 Sq. Ft. GFA: 245

Directional Distribution: 43% entering, 57% exiting

## Person Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
3.49	2.23 - 5.09	1.22

## Data Plot and Equation





# Recreational Community Center (495)

Person Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

AM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 4


Avg. 1000 Sq. Ft. GFA: 245

Directional Distribution: 68% entering, 32% exiting

## Person Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
2.19	1.63 - 3.00	0.58

## Data Plot and Equation



# Recreational Community Center (495)

Person Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

PM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 4


Avg. 1000 Sq. Ft. GFA: 245

Directional Distribution: 43% entering, 57% exiting

## Person Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
3.49	2.23 - 5.09	1.22

## Data Plot and Equation



# Recreational Community Center (495)

**Person Trip Ends vs: Employees**

**On a: Weekday,**

**Peak Hour of Adjacent Street Traffic,**

**One Hour Between 7 and 9 a.m.**

**Setting/Location: General Urban/Suburban**

Number of Studies: 2

Avg. Num. of Employees: 147


Directional Distribution: 74% entering, 26% exiting

## Person Trip Generation per Employee

Average Rate	Range of Rates	Standard Deviation
3.57	3.16 - 4.01	***

## Data Plot and Equation

*Caution – Small Sample Size*



# Recreational Community Center (495)

## Person Trip Ends vs: Employees

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 4 and 6 p.m.

Setting/Location: General Urban/Suburban

Number of Studies: 4


Avg. Num. of Employees: 174

Directional Distribution: 43% entering, 57% exiting

## Person Trip Generation per Employee

Average Rate	Range of Rates	Standard Deviation
4.92	4.05 - 5.97	1.00

## Data Plot and Equation



# Recreational Community Center (495)

Person Trip Ends vs: Employees

On a: Weekday,

AM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 4


Avg. Num. of Employees: 174

Directional Distribution: 68% entering, 32% exiting

## Person Trip Generation per Employee

Average Rate	Range of Rates	Standard Deviation
3.09	2.38 - 4.01	0.67

## Data Plot and Equation



# Recreational Community Center (495)

Person Trip Ends vs: Employees

On a: Weekday,

PM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 4


Avg. Num. of Employees: 174

Directional Distribution: 43% entering, 57% exiting

## Person Trip Generation per Employee

Average Rate	Range of Rates	Standard Deviation
4.92	4.05 - 5.97	1.00

## Data Plot and Equation



# Recreational Community Center (495)

**Walk Trip Ends vs: 1000 Sq. Ft. GFA**

**On a: Weekday,  
Peak Hour of Adjacent Street Traffic,  
One Hour Between 7 and 9 a.m.**

**Setting/Location: General Urban/Suburban**

Number of Studies: 2

Avg. 1000 Sq. Ft. GFA: 225


Directional Distribution: Not Available

## Walk Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
0.03	0.01 - 0.04	***

## Data Plot and Equation

*Caution – Small Sample Size*



# Recreational Community Center (495)

**Walk Trip Ends vs: 1000 Sq. Ft. GFA**

**On a: Weekday,**

**Peak Hour of Adjacent Street Traffic,**

**One Hour Between 4 and 6 p.m.**

**Setting/Location: General Urban/Suburban**

Number of Studies: 4


Avg. 1000 Sq. Ft. GFA: 245

Directional Distribution: Not Available

## Walk Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
0.10	0.07 - 0.13	0.03

## Data Plot and Equation





# Recreational Community Center (495)

**Walk Trip Ends vs: 1000 Sq. Ft. GFA**

**On a: Weekday,  
AM Peak Hour of Generator**

**Setting/Location: General Urban/Suburban**

Number of Studies: 2

Avg. 1000 Sq. Ft. GFA: 265


Directional Distribution: Not Available

## Walk Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
0.01	0.01 - 0.02	***

## Data Plot and Equation

*Caution – Small Sample Size*



# Recreational Community Center (495)

Walk Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

PM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 4


Avg. 1000 Sq. Ft. GFA: 245

Directional Distribution: Not Available

## Walk Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
0.10	0.07 - 0.13	0.03

## Data Plot and Equation



# Recreational Community Center (495)

## Walk Trip Ends vs: Employees

On a: **Weekday,**

**Peak Hour of Adjacent Street Traffic,**

**One Hour Between 7 and 9 a.m.**

**Setting/Location: General Urban/Suburban**

Number of Studies: 2

Avg. Num. of Employees: 147


Directional Distribution: Not Available

## Walk Trip Generation per Employee

Average Rate	Range of Rates	Standard Deviation
0.04	0.01 - 0.07	***

## Data Plot and Equation

*Caution – Small Sample Size*



# Recreational Community Center (495)

## Walk Trip Ends vs: Employees

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 4 and 6 p.m.

Setting/Location: General Urban/Suburban

Number of Studies: 4


Avg. Num. of Employees: 174

Directional Distribution: Not Available

## Walk Trip Generation per Employee

Average Rate	Range of Rates	Standard Deviation
0.14	0.05 - 0.26	0.09

## Data Plot and Equation



# Recreational Community Center (495)

Walk Trip Ends vs: Employees

On a: Weekday,

AM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 2

Avg. Num. of Employees: 202


Directional Distribution: Not Available

## Walk Trip Generation per Employee

Average Rate	Range of Rates	Standard Deviation
0.02	0.02 - 0.02	***

## Data Plot and Equation

Caution – Small Sample Size



# Recreational Community Center (495)

Walk Trip Ends vs: Employees

On a: Weekday,

PM Peak Hour of Generator

Setting/Location: General Urban/Suburban

Number of Studies: 4

Avg. Num. of Employees: 174

Directional Distribution: Not Available

## Walk Trip Generation per Employee

Average Rate	Range of Rates	Standard Deviation
0.14	0.05 - 0.26	0.09

## Data Plot and Equation

