



INSTITUTE OF TRANSPORTATION ENGINEERS
PUBLICATIONS ERRATA

Alternative Treatments for At-Grade Pedestrian Crossings

© 2001 Institute of Transportation Engineers

ISBN No: 0-935403-61-2; LP-629

Posted: 7/9/03

The following index pages were added to the original 2001 printing when reprinted in 2002.

Index

A

- Abbreviations, 109
- Abdulsattar, H.N., et al., 91
- Access Design for the Blind, 20
- Accessible pedestrian signals (APs) for the visually impaired
 - advance limit lines at signalized intersections, 81
 - automated pedestrian detection, 85–86
 - defined, 105
 - diagonal crossings, 83
 - driveway signal and pedestrian crossing, 96
 - flashing beacons at uncontrolled crossings, 45, 46
 - Hawk crossings, 78
 - intersection pedestrian signals, 72
 - lagging pedestrian signal intervals, 80
 - leading pedestrian signal intervals, 79
 - midblock signal-controlled crossings, 69, 70
 - Pelican crossings, 73
 - porkchop islands, 91
 - Puffin crossings, 75
 - push buttons as signalized intersections, 84
 - signalized intersections, 86–87
 - Toucan crossings, 76
 - uncontrolled crossings, 20
- Accident statistics. *See* Statistics
- Acronyms, 109
- ADAAG. *See* Americans with Disabilities Act Accessibility Guidelines
- Adelaide, Australia, detectable warning on curb ramp, 56
- ADT. *See* Average daily traffic
- Advance signs
 - flashing amber lights on, 45
 - STOP and YIELD limit lines at uncontrolled crossings, 34
 - STOP limit lines at signalized intersections, 81–82, 96
- Alternative treatments of pedestrian crossings, 2
 - sources of information, 27–28
- Amber lights. *See specific types of lighting*
- Ambient lighting for drivers, 44
- Americans with Disabilities Act Accessibility Guidelines (ADAAG), 54, 84, 86, 106
- Animated eye signal displays at intersections, 88–89
- Anti-skid pavement surfacing, 41, 73
- Approach, defined, 105
- APs. *See* Accessible pedestrian signals (APs) for the visually impaired
- Arcadia, California, orange barrels at school crossing, 102
- Areas for further study, 10
- Arizona. *See also specific cities*
 - school crossing signs, 99
- Arlington, Virginia, right turn on red prohibition sign, 94
- Austin, Texas
 - flashing beacons, 46
 - fluorescent yellow-green signs, 37, 38
 - refuge island, 40
 - sign for push button use, 45
 - YIELD sign, 30
- Australia. *See also specific cities*
 - curb extensions, 48
 - flashing beacons, 45
 - installation guidelines, 24–26
 - major traffic control items (MTCIs), 24–25
 - minor traffic control items, 25
 - pedestrian crossings without flashing lights, 25–26
 - pedestrian operated signals, 26
 - Pelican crossings, 26, 72, 73
 - Puffin crossings, 26, 74, 75
 - push buttons, 84
 - refuge island, 40

- school crossing flags, 102
- slip lane, 107
- Toucan crossings, 76
- Zebra-style crossings, 92
- Australian Road Research Board, 73, 75
- Automated detection of pedestrians
 - activating amber strobe lighting, 42–43
 - infrared and microwave, 85–86
 - Puffin crossings, 74
 - signalized intersections, 85–86
 - uncontrolled crossings, 51–52
 - wheelchair detection, 86
- Average daily traffic (ADT), 65
 - defined, 105
 - and pedestrian-related collisions, 3, 6–8
- B**
- Bacquie, P., et al., 54
- Bandwidth, defined, 105
- Barlow, J., and B.L. Bentzen, 55
- Barnes dance. *See* Scramble pattern
- Barrier curb, defined, 105
- Beaverton, Oregon, raised crosswalks, 62
- Belisha beacon, defined, 105
- Bentzen, B.L., and L.S. Tabor, 84, 87
- Bentzen, B.L., et al., 87
- Bicycle crossings. *See also* Toucan crossings
 - fluorescent yellow-green signs, 37
 - in-pavement raised markers and, 43
- Bicycle lanes, 48, 59
- Bicycle/pedestrian shared crossings. *See* Toucan crossings
- Blind pedestrians. *See* Visually impaired pedestrians
- Blinking yellow signal. *See* Flashing beacons
- Blood alcohol levels in fatally injured pedestrians, 5
- Boulder, Colorado
 - textured paving in crosswalk, 50
 - YIELD portable/pole-mounted signs, 30
- Bozeman, Montana, curb extensions, 48
- Braking distance and anti-skid pavement surfacing, 41
- Bulb out, defined, 105
- Burden, D., and P. Lagerway, 48
- Buses
 - nearside signals and, 97
 - speed cushions at residential crossings and, 60
- C**
- Calabasas, California, chicanes with islands, 61
- California. *See also specific cities*
 - fluorescent yellow-green signs, 37, 38
 - marked crosswalks, 7–8
 - microwave detectors to activate in-pavement flashing markers, 44
 - state highway study of markings and pedestrian collisions, 8–9
- Cambridge, Massachusetts
 - chicanes with islands, 61
 - curb radius reduced, 53
 - raised intersections, 63
- Canada. *See also specific cities or provinces*
 - advance YIELD sign and limit line, 34
 - flashing beacons, 45, 46, 47
 - installation guidelines, 20–23
 - pedestrian crossovers (PXOs), 45
 - push buttons, 84
 - right turn on red (RTOR), 82
 - signal-controlled pedestrian crossings, 4
 - split pedestrian crossovers (SPXOs), 54, 55
 - zigzag markings, 35
- Capacity, defined, 105
- Channelization, defined, 105
- Chicanes with islands on residential streets, 60–61
- Children. *See also* School crossings
 - area for further study, 10
 - Canada, determination of pedestrian volumes, 21
 - flag applications and, 37, 93
 - refuge islands and, 38
- Christchurch, Australia, 24
- Clearwater, Florida
 - animated eyes in pedestrian signal displays, 88, 89
 - roundabouts and automated pedestrian detection, 85
- Cobblestone treatment and railings, 42
- Coffin, A., and J. Morrall, 66
- Collector street, defined, 105
- Collisions. *See* Pedestrian collisions
- Color treatment of speed cushions at residential crossings, 60
- Construction zones and double-fine warning signs, 100
- Countdown signals at intersections, 87–88
- Critical volume (CV), defined, 105
- Crossing opportunities, calculation of, 21–22
- Crosswalks. *See also* Marked crosswalks; Raised crosswalks; Removal of crosswalks
 - defined, 105
- Curb extensions, 103
 - defined, 105
 - signalized intersections, 89
 - uncontrolled crossings, 46–47
- Curb radii reduced at uncontrolled crossings, 52–53
- Curb ramp, defined, 105
- Curbed islands to restrict left-turns, 56
- Cycle time, defined, 105

D

- De Robertis, M., and M. Ridgway, 5, 6, 19
- Delay, defined, 105
- Denver, Colorado
 - diagonal crossings, 84
 - double-fine zone warning sign, 100
 - lane reductions, 48, 49
 - overhead signs at signalized intersections, 90
 - overhead signs warning of school-age pedestrians, 100, 101
- Department of Environment, Transport, and the Regions (UK), 60, 61, 73, 87
- Department of Transport (UK), 51
- Design hour volume (DHV), defined, 105
- Design speed (DS), defined, 105
- Design width (DW), defined, 105
- Detectable warning, defined, 105–106
- Detectable warnings at uncontrolled crossings, 54–56
- Detection of pedestrians. *See* Automated detection of pedestrians
- Detours for part-time street closures, 102
- Diagonal pedestrian crossings, 83–84
- Disabled persons. *See also* Visually impaired pedestrians; Wheelchairs
 - area for further study, 10
 - Canada, determination of pedestrian volumes, 21
 - flag applications and, 37, 93
 - raised crosswalks and, 61–62
 - raised intersections and, 63
 - refuge islands and, 38, 39, 90
 - right turns on red and, 94
- Divided highway, defined, 106
- DON'T WALK**
 - blinking yellow signal indications, 95
 - driveway signal and pedestrian crossing and, 96
 - flashing signal, 69
 - steady red signal, 70
- Double-fine zones, school-related crossings, 100
- Double-posted pedestrian signs at uncontrolled crossings, 32–33
- Downtowns
 - curb extensions, 46
 - curb radius reduced, 53
 - diagonal crossings, 83
 - lighting at uncontrolled crossings, 44
 - midblock signal-controlled crossings with flashing red, 69
 - right turn on red prohibitions, 93
 - speed in, 103
 - textured surfaces in crosswalks, 50
- Drainage
 - curb extensions and, 46, 47, 89

- raised intersections and, 63
- DRIVE Initiative, 74
- Driveway signals at signalized intersections, 96
- Dual wheelchair ramps at signalized intersections, 94–95
- Dublin, Eire, pork chop island, 91

E

- Edinburgh, Scotland, setback crosswalks, 57
- Educational signs for pedestrian push-button signals, 80–81
- Elderly. *See* Older pedestrians
- Emergency vehicles and speed cushions, 60
- England. *See* United Kingdom
- Entry treatments at residential crossings, 62–63
- Equivalent adult units, 21, 23
- Europe. *See also specific countries*
 - accessible pedestrian signals, 87
 - nearside signals at signalized intersections, 96
 - pedestrian collision statistics, 5–6
- Ewing, R., 47, 50, 53, 62, 63, 89
- Exclusive pedestrian phase, defined, 106
- Eyes animated in pedestrian signal displays, 88

F

- Federal Highway Administration (FHWA)
 - research, 1, 95, 103
- Ferrara, Italy, nearside signals at signalized intersection, 97
- Fillmore, California, street lighting, 45
- Fines, double-fine warning sign, 100
- Fitzpatrick, K., and H.A. Parham, 59
- Flags
 - Australia school crossings, 102
 - signalized intersections, 93
 - uncontrolled crossings, 36–37
- Flashing beacons
 - Australia, 25–26, 45
 - Hawk crossings, 77–78
 - school crosswalks, 101
 - uncontrolled crossings, 45–46, 121
 - yellow signal for pedestrians, 95–96
- Fleck, J., 79
- Florida. *See also specific cities*
 - countdown pedestrian signal, 88
- Fluorescent yellow-green signs
 - with flashing beacons at school crosswalks, 101
 - school-related crossings, 100–101
 - uncontrolled crossings, 37
- France, advisory device, 31

G

Geometric design, defined, 106
Germany
 marked crosswalks at uncontrolled locations, 65
 pedestrian fatalities, 6
 uncontrolled locations and marked crosswalks, 3
Glock, J.W., et al., 71, 77, 78
Glossary, 105–107
Grade, defined, 106
Great Britain. *See* United Kingdom
Greater London Council Road Safety Unit, 35
Green time, defined, 106

H

Habib, P., 36
Half signals, 45, 71, 77
Hannan, T.J., 79, 83
Hauger, J.S., et al., 55
Hawk crossings, 77–78
High-intensity activated crosswalk (Hawk) crossings, 77–78
High-visibility markings
 left-turn lanes at signalized intersections, 92
 uncontrolled crossings, 32
 Zebra crossings, 32, 92
Hourly volume, defined, 106
Huang, H., et al., 43, 51
Hughes, R.G., 55
Hughes, R.G., et al., 86

I

In-pavement raised markers at uncontrolled crossings, 42–43
Infrared detection of pedestrians at intersections, 85–86. *See also* Automated detection of pedestrians
Installation guidelines, 19–26
 accessible pedestrian signals for the visually impaired, 20
 Australia, 24–26
 Canada, 20–23
 Ontario, 23
 crossing traffic information, 24
 drawbacks of minimal treatment, 19
 Great Britain, 23–24
 midblock crosswalks, 19
 New Zealand, 24
 pedestrian flows, 24
 pedestrian volume determination, 21
 road collisions, 24
 site characteristics, 24
 traffic control signals, 19–20, 23
 United States, 19–20

 vehicle flows, 24

 vehicle traffic information, 24

Insurance Institute for Highway Safety, 94

Intelligent Transportation Systems (ITS), 104

Intersection, defined, 106

Intersection pedestrian signals (IPs), 45–46, 71–72

Islands. *See also* Raised islands; Refuge islands
 defined, 106

 pork chop islands, 90–91

Italy, nearside signals at signalized intersection, 97

ITE Pedestrian and Bicycle Task Force, xv, 1, 27

ITE Traffic Engineering Council Technical
 Committee report, 43

J

Japan, tactile surfaces for visually impaired, 51

K

Katz, Okitsu, & Associates, 43

Kirkland, Washington

 flags at pedestrian crossings, 37, 93

 in-pavement raised markers, 43

Kittle, C., 37

L

Lagging pedestrian signal intervals, 80

Lalani, N., 39, 42, 44, 73, 75, 82, 97

Lalani, N., and R. Kochevar, 66

Lalani, N., and R.M. Elizer, 102

Lalani, N., and W. Baranowski, 81

Landscaping

 curb extensions and, 46

 lane reductions and, 48

Lane reductions at uncontrolled crossings, 48–49

Las Vegas, Nevada, staggered refuge islands, 54

Leading pedestrian signal intervals, 79

LEDs

 animated eyes in pedestrian signal displays, 88

 strobe lighting, 42

Left-turning vehicles

 leading pedestrian signal intervals, 79

 restrictions at uncontrolled intersections, 56

 setback crosswalks, 82

 widening turn lanes, 59

 Zebra crossings, 92

Legal considerations

 countdown pedestrian signals, 88

 double fines, 100

Leonard, J., et al., 88

Level of service, defined, 106

Lighting for pedestrians, 44

Limit lines at uncontrolled crossings, 34

Locator tone, defined, 106

- London, UK
 pavement legends and other pedestrian aids, 36
 railing at crossing, 41, 42
 refuge island, 40
 turning vehicle warnings, 91
- London Research Centre, London Accident Analysis Unit, 41
- Long Beach, California
 pedestrian collisions studies, 67
 removal of crosswalks, 67
 uncontrolled locations and marked crosswalks, 3
- Longitudinal pavement markings on residential streets, 59
- Los Angeles, California
 automated detection at signalized intersections, 85, 86
 double-posted signs at uncontrolled crossings, 32–33
 driveway signal and pedestrian crossing, 96
 flashing beacons, 45, 46, 121
 midblock signal-controlled crossings, 69, 70
 pedestrian collision studies, 10, 65–66
 removal of crosswalks, 65–66
 uncontrolled locations and marked crosswalks, 3, 120
- M**
- Madison, Wisconsin, YIELD in-street signs, 29
- Major street, defined, 106
- Major street crossings
 “half signals,” 71–72
 with residential streets, 62–63
 uncontrolled locations, 29–57
- Major traffic control items (MTCIs), 24–25
- Marked crosswalks
 California, 3, 20, 117–119
 drawbacks of, 19
 Germany, 3
 removal of, 65–67
 studies, 6–10, 65, 103
 uncontrolled locations. *See* Uncontrolled locations
- United States, 19–20
- Massachusetts. *See specific cities*
- Median, defined, 106
- Medians, 25, 70
- Melbourne, Australia, sidewalk extension entry treatment, 62
- Microwave detection of pedestrians at intersections, 85–86. *See also* Automated detection of pedestrians
- Midblock crosswalks, 19–20, 104
 defined, 106
 flashing red signal, 69–70
 non-flashing red signal, 70–71
 Pelican crossings, 24, 72–73
 Puffin crossings, 24, 73–75
 staggered islands, 89
- Midblock pedestrian signals in Ontario, Canada, 23
- Miller, R., and R. Davis, 6
- Minimum clearing width, defined, 106
- Montana. *See specific cities*
- Multilingual population and signage, 81
- “Multiple threat” collisions, 19
- N**
- Narrow travel lanes on residential streets, 59, 60–61
- Nearside signals at signalized intersections, 96–97
- Netherlands, 95–96
 blinking yellow signal indications, 95
 pedestrian collisions and fatalities, 6
 sidewalk extension entry treatment, 62
- New Jersey school crossing with fluorescent yellow-green sign and flashing beacon, 101
- New York, YIELD in-street signs, 31
- New Zealand installation guidelines, 24
 flashing beacons, 45
 high-visibility markings, 33
- Nighttime
 accessible pedestrian signals and, 87
 chicanes with islands, 61
 curb extensions and, 47, 89
 motor vehicle-related collisions, 5, 54
 push buttons and, 84
- NO PASSING signs, 36
- Norfolk, Virginia, diagonal crossings and visually impaired pedestrians, 83
- O**
- Obstacle, defined, 106
- Older pedestrians
 area for further study, 10
 Canada, determination of pedestrian volumes, 21
 fatality rate and, 5
 refuge islands and, 38
 right turns on red and, 94
- Ontario, Canada
 double-fine warning sign, 100
 lagging pedestrian signal intervals, 80
 midblock pedestrian signals, 23
 midblock signal-controlled crosswalks, 70, 71
 perpendicular crossing, 97
 PXOs, 45
 school crossing sign with flashing beacon, 101
- Orange barrels at school crossings, 102

- Oregon. *See specific cities*
- Orlando, Florida
 - in-pavement raised markers, 43
 - right turn on red prohibition sign, 94
- Overhead flashing beacons, 45
- Overhead signs
 - flashing amber lights on, 45
 - fluorescent yellow-green at school crosswalks, 100–101
 - signalized intersections, 90
 - uncontrolled crossings, 37–38
- Overpass, pedestrian, 25
- P**
- Palm Springs, California
 - curb extensions, 89
 - lane reductions, 48, 49
 - patterned paving in crosswalk, 50
- Parking lanes
 - reductions, 48
 - widening of, 59
- Parking restrictions
 - advance limit lines at signalized intersections and, 82
 - curb extensions and, 47, 89
 - zigzag markings and, 35
- Part-time street closures at school crossings, 101–102
- Pasadena, California, scramble pattern at signalized intersections, 83
- Passing sight distance, defined, 106
- Passive detectors activating amber strobe lighting, 42–43
- Pavement legends
 - signalized intersections, 91
 - uncontrolled crossings, 36
- Peak hour trip (PHT), defined, 106
- Peak hour turning movements (PHTM), defined, 106
- Pedestrian, defined, 106
- Pedestrian and bicycle shared crossings. *See Toucan crossings*
- Pedestrian and Bicycle Task Force, xv, 1, 27
- Pedestrian collisions
 - Los Angeles, California, 65–66
 - marked crosswalks alone, 65
 - statistical data, 1, 5–6
 - studies at marked crosswalks, USA, 6–10
 - Ventura, California, 66–67
 - Zebra crossings, 65
- Pedestrian crossing installation guidelines. *See Installation guidelines*
- Pedestrian crossovers (PXOs), 45
- Pedestrian-deterrent paving, 42–43
- Pedestrian flows, 24
- Pedestrian light controlled (Pelican) crossings, 72–73. *See also Pelican crossings*
- Pedestrian-operated signals. *See also Push-button signals at intersections*
 - Australia, 26
- Pedestrian user friendly intelligent (Puffin) crossings, 73–75. *See also Puffin crossings*
- Pedestrian volume determination, 21
- Pelican crossings, 3, 24, 25, 26, 72–73
 - automated detection and, 85
 - railings used with, 42, 73, 82
- Perpendicular crossings, 97
- Petaluma, California
 - automated detection at signalized intersections, 85
 - overhead sign and flashing beacon, 47
- Phoenix, Arizona
 - automated detection at signalized intersections, 85, 86
 - school crossings and portable signs, 99
- Pork chop islands at signalized intersections, 90–91
- Portable signs
 - school crosswalks, 99
 - YIELD in-street signs, 29
- Portland, Oregon
 - automated detection at signalized intersections, 85, 86
 - flashing beacons at school crossings, 101
 - intersection pedestrian signals, 72
- Puffin crossings, 3, 24, 25, 26, 73–75
 - automated detection and, 85
- Push-button signals at intersections
 - educational signs for, 80–81
 - LED strobe lighting, 42
 - for overhead signs, 38
 - Puffin crossings, 74
 - signalized intersections, 84
- PXOs (pedestrian crossovers), 45
- R**
- Railings
 - porkchop islands and, 91
 - setback crosswalks and, 57, 82
 - signalized intersections and, 73, 82–83
 - uncontrolled crossings and, 41–42
- Railroad crossings, 93
- Raised crosswalks on residential streets, 61–62
- Raised intersections on residential streets, 63
- Raised islands. *See also Refuge islands*
 - chicanes with, 60–61
 - pork chop, for right turn movements, 90–91

- pork chop islands, 90–91
- staggered at signalized intersections, 89–90
- staggered islands, 89–90
- uncontrolled crossings, 38–40, 53–54, 56
- Raised pavement markers at uncontrolled crossings, 42–43
- Ramps
 - defined, 105
 - wheelchair. *See* Wheelchairs
- Reduced curb radii at uncontrolled crossings, 52–53
- Refuge islands, 25, 103
 - lane reduction and, 48
 - pork chop islands, 90–91
 - signalized intersections, 89–90
 - staggered islands, 53–54, 89–90
 - uncontrolled crossings, 38–40, 53–54
- Removal of crosswalks, 65–67
 - uncontrolled locations, 3–4, 103
- Residential street crossings, 3, 13, 59–63
 - chicanes with islands, 60–61
 - longitudinal pavement markings, 59
 - raised crosswalks, 61–62
 - raised intersections, 63
 - sidewalk extension entry treatments, 62–63
 - speed cushions at crossings, 59–60
- Retting, R., and R. Van Houten, 82
- Retting, R., et al., 79, 91
- Right turn on red (RTOR), 82
 - nearside signals and, 97
 - prohibitions, 93–94
- Right-turning vehicles
 - pork chop islands at signalized intersections, 90–91
 - prohibitions at signalized intersections, 93–94
 - setback crosswalks and, 82
 - warnings at signalized intersections, 90–91
- Roadbed, defined, 106
- Roadside, defined, 106
- Roadway, defined, 106
- Roadway signing at uncontrolled crossings, 29–31
- Roseville, California, detectable warning on parallel curb ramp, 55, 56
- RTOR. *See* Right turn on red
- S**
- Safety zones, 25
 - double fines in, 100
- Salem, Oregon, dual wheelchair ramps, 95
- Salt Lake City, Utah, flags at pedestrian crossings, 93
- San Diego, California
 - Crosswalk Study (1970), 9
 - study of pedestrian fatalities (1998–1999), 9–10
- San Francisco, California
 - leading pedestrian signal intervals, 79, 80
 - talking signs at signalized intersections, 87
- San Jose, California
 - flashing beacons, 46
 - in-pavement raised markers and flashing amber LEDs, 44
- San Luis Obispo, California
 - in-pavement raised markers, 43
 - policy on marked pedestrian crossings, 20, 117–119
 - staggered refuge islands, 54
- Santa Ana, California
 - advance STOP limit line, 34
 - study of marked crosswalks, 7–8
- Santa Rosa, California, overhead signs, 39
- Savil, T., et al., 51
- Sawai, H., et al., 51
- School crossings, 4, 18, 99–102, 122, 123
 - flag treatments, 102
 - flashing beacons, 101
 - fluorescent yellow-green signs, 37, 100–101
 - orange barrels, 102
 - overhead signs, 100–101
 - part-time street closures, 101–102
 - portable signs, 99
 - right turns on red and, 94
 - Ventura, California, Route to School Program, 67
- Scramble pattern
 - defined, 106
 - signalized intersections, 83–84
- Seattle, Washington
 - chicanes with islands, 61
 - intersection pedestrian signals, 72
- Separate turn lane, defined, 106
- Setback crosswalks
 - signalized intersections, 82
 - uncontrolled intersections, 56–57
- Shoulder, defined, 106
- Sidewalk, defined, 106
- Sidewalk extensions. *See also* Curb extensions
 - to edge of travel lanes, 46–47, 89
 - residential street entry, 62–63
- Sierra Madre, California, YIELD in-street signs, 31
- Sight distance (SD), defined, 106
- Signal-controlled pedestrian crossings, 4, 14, 69–78
 - flashing red signal for drivers, 69–70
 - Hawk crossings, 77–78
 - intersection pedestrian signals, 71–72
 - Pelican crossings, 72–73
 - Puffin crossings, 73–75

- solid red signal for drivers, 70–71
- Toucan crossings, 75–77
- Signal progression, defined, 106
- Signalized intersection crossings, 4, 15–18, 79–97
 - accessible pedestrian signals, 86–87
 - advance limit lines, 81–82
 - animated eye signal displays, 88–89
 - automated detection of pedestrians, 85–86
 - blinking yellow signal indications, 95–96
 - countdown signals, 87–88
 - curb extensions, 89
 - driveway signals, 96
 - educational signs, 80–81
 - flag applications, 93
 - lagging pedestrian signal intervals, 80
 - leading pedestrian signal intervals, 79
 - nearside signals, 96–97
 - overhead signs, 90
 - pork chop islands, 90–91
 - push-button signals, 84
 - railings, 82–83
 - scramble pattern, 83–84
 - setback crosswalks, 82
 - staggered pedestrian refuge islands, 89–90
 - turn prohibitions, 93–94
 - warnings of turning vehicles, 91–92
 - wheelchair detection, 86
 - wheelchair ramps, 94–95
 - Zebra crossings, 92
- Signs. *See also* Portable signs
 - educational signs for pedestrian push-button signals, 80–81
 - fluorescent yellow-green signs, 37
 - overhead signs, 37–38, 90
 - traffic sign, defined, 107
 - turning vehicle warnings, 91
 - uncontrolled crossings, 29–31
- Skewed intersections and perpendicular crossings, 97
- Skid-resistant pavement surfacing, 41, 73
- Slip lane, defined, 107
- Snow removal
 - curb extensions and, 47, 89
 - in-pavement raised markers and, 43
 - refuge islands and, 39
- Speech messages and signals. *See* Accessible pedestrian signals (APSS) for the visually impaired
- Speed cushions at pedestrian crossings, 59–60
- Split pedestrian crossovers (SPXOs), 54
- Split speed bumps, 59–60
- Square meter, defined, 107
- Staggered pedestrian refuge islands
 - signalized intersections, 89–90
 - uncontrolled crossings, 53–54
- Statistics
 - part-time street closure for school and traffic volume, 102
 - pedestrian collisions, 1, 5–6, 9–10, 66, 67
 - split pedestrian crossovers (SPXOs), 54
- STOP limit lines. *See* Advance signs
- Stopping sight distance, defined, 107
- Street lighting for pedestrians, 44
- Strobe lighting, 42
- Summary of studies on pedestrian collisions, 6–10
 - areas for further study, 10
- Surface warning features for the visually-impaired, 50–51, 54–56
- Sweden
 - advance YIELD limit line, 34
 - pedestrian-activated warning sign, 31
 - pedestrian collisions and fatalities, 6
 - push buttons as signalized intersections, 85
 - Zebra crossings, 3, 65
- T**
 - Tactile directions with push buttons at signalized intersections, 84–85
 - Tactile ground surface indicators (TGSI)
 - perpendicular crossings and, 97
 - raised crosswalks and, 62
 - raised intersections and, 63
 - raised islands and, 90
 - uncontrolled crossings, 39, 50–51
 - Talking signs. *See* Accessible pedestrian signals (APSS) for the visually impaired
 - Theft of flags, 37, 93, 102
 - Thousand Oaks, California, in-pavement raised markers and flashing amber LEDs, 44
 - Tomcheck, P., 65
 - Toronto, Canada
 - NO PASSING sign, 36
 - raised crosswalks, 62
 - raised intersections, 63
 - split pedestrian crossovers (SPXOs), 54, 55
 - Toucan crossings, 3, 24, 75–77
 - automated detection and, 85
 - Traffic-calming techniques on residential streets, 59–63
 - Traffic control signals, 19–20, 23
 - Traffic Engineering Council Technical Committee report, 43
 - Traffic islands. *See* Islands; Refuge islands
 - Traffic markings, defined, 107
 - Traffic sign, defined, 107
 - Transport and Road Research Laboratory (Great Britain), 35

- Transportation Association of Canada, 20–23
- Transportation Research Board (TRB) study of pedestrian-related collisions, 8, 103
- Travel lanes on residential streets, 59
- Triangular pork chop islands, 90–91
- Tucson, Arizona
 - Hawk crossings, 77–78
 - midblock signal-controlled crosswalks, 70, 71
 - overhead signs, 39
 - Toucan crossings, 75–77
- Turn lanes, 48, 97
- Turning vehicles. *See also* Left-turning vehicles; Right-turning vehicles
 - advance limit lines and, 81
 - animated eyes in pedestrian signal displays for, 88
 - curb extensions and, 47, 89
 - curb radius reduced and, 53
 - diagonal crossings and, 83
 - prohibitions at signalized intersections, 93–94
 - setback crosswalks and, 82
 - warnings at signalized intersections and, 91–92
- Two can cross (Toucan) crossings, 75–77. *See also* Toucan crossings
- U**
- Uncontrolled locations, 2–3, 11–12, 29–57, 103, 124
 - advance STOP and YIELD limit lines, 34
 - automated detection of pedestrians, 51–52
 - curb extensions, 46–47
 - curb radii reduced, 52–53
 - detectable warnings, 54–56
 - double-posted signs, 32–33
 - flags, 36–37
 - flashing beacons, 45–46
 - fluorescent yellow-green signs, 37
 - high-visibility markings, 32
 - in-pavement raised markers, 42–43
 - lane reductions, 48–49
 - left-turn restrictions, 56
 - lighting, 44
 - overhead signs, 37–38
 - parking restrictions, 35
 - pavement legends, 36
 - refuge islands, 38–40
 - removal of marked crosswalks, 3–4, 103
 - setback crosswalks, 56–57
 - signs, 29–31
 - staggered refuge islands, 53–54
 - tactile ground surface indicators, 50–51
 - textured surfaces, 50
 - zigzag markings, 35
- United Kingdom. *See also specific cities*
- accessible pedestrian signals, 87
- anti-skid pavement surfacing, 41
- automated detection at signalized intersections, 85
- chicanes with islands, 61
- flashing beacons, 45, 47
- installation guidelines, 23–24
- lane reductions, 48, 49
- Pelican crossings, 72, 73
- publications availability, 28
- push buttons, 84
- railings at signalized intersections, 82–83
- refuge islands, 38, 39, 90
- setback crosswalks at signalized intersections, 82
- speed cushions, 60
- staggered refuge islands, 90
- tactile ground surfaces, 51
- Toucan crossings, 76–77
- Zebra crossings, 3, 23
- zigzag markings, 35
- United States. *See also specific cities and states*
- accessible pedestrian signals, 86–87
- advance limit lines at signalized intersections, 81
- educational signs near pedestrian push buttons, 80
- installation guidelines, 19–20
- marked crosswalks, 19–20
- pedestrian collision statistics, 5
- push buttons as signalized intersections, 85
- right turn on red (RTOR), 82, 93–94
- University of North Carolina study
 - Hawk crossings, 78
 - pedestrian markings at uncontrolled locations, 6–7
- U.S. Access Board, 55, 84
- Utah. *See specific cities*
- V**
- Van Houten, R., 34, 46
- Van Houten, R., et al., 88, 92
- Vancouver, British Columbia
 - double-posted signs at uncontrolled crossings, 33
 - intersection pedestrian signals (IPs), 71, 72
 - refuge island, 40
- Vandalism, 81
- Vehicle flows, 24
- Ventura, California
 - curb radius reduced, 53
 - marked crosswalks at uncontrolled locations, 3, 32, 124
 - parking restrictions, 36
 - part-time street closure for school, 101, 102
 - pedestrian collisions studies, 66–67

- removal of crosswalks, 66–67
- school crossings, 122, 123
- street lighting, 45
- striped narrow travel lanes, 59
- Victoria, Australia
 - curb extensions, 48
 - flags at school crossings, 102
 - Pelican crossings, 73
 - Puffin crossings, 75
 - Zebra crossings, 92
- Virginia. *See specific cities*
- Visually impaired pedestrians
 - accessible pedestrian signals. *See Accessible pedestrian signals (APSS) for the visually impaired*
 - curb extensions and, 46
 - detectable warnings for, 54–56
 - detection of at uncontrolled crossings, 52
 - diagonal crossings and, 83
 - dual wheelchair ramps, 95
 - educational signs and, 81
 - flag applications not useful for, 37, 93
 - nearside signals and, 97
 - overhead signs and audible signals, 38
 - railings at signalized intersections, 82
 - raised crosswalks and, 62
 - raised intersections and, 63
 - refuge islands and, 39, 90
 - right turns on red and, 94
 - setback crosswalks and, 57, 82
 - signal information cues, 86–87
 - tactile surface warnings for, 39, 50–51
 - textured surfaces in crosswalks, 50
- Volume, defined, 107
- Volume/capacity ratio (V/C), defined, 107
- W**
- Wales, UK, raised crosswalks, 62
- WALK interval
 - flashing signs, 69
 - lagging pedestrian signal intervals, 80
- Pelican crossings, 72
 - signalized intersection crossings, 79
 - steady red signal, 70
- Warnings
 - detectable warnings. *See Detectable warnings at uncontrolled crossings*
 - turning vehicles at signalized intersections, 91–92
- Warrants, defined, 107
- Washington (state). *See also specific cities*
 - flags at pedestrian crossings, 37
 - high-visibility markings, 32
 - overhead signs, 39
 - porkchop islands, 91
- Watkins, K., 62
- Web sites for additional information, 27–28
- Wet pavement and anti-skid surfacing, 41
- Wheelchairs. *See also Disabled persons*
 - curbed islands to restrict left-turns and, 56
 - detectable warnings and, 55
 - detection at signalized intersections, 86
 - overhead signs warning of, 90
 - ramps, 90, 91, 94–95
 - staggered refuge islands and, 53, 54
 - textured surfaces in crosswalks and, 50
- Widening turn lanes, 59
- Wisconsin. *See specific cities*
- Wording
 - language difficulties, 81
 - legends on pavement, 36, 91–92
- Y**
- YIELD signs, 29–31
- YIELD WHEN FLASHING signs, 46
- Z**
- Zebra crossings, 3, 23, 32
 - Australia Zebra-style crossings, 92
 - Great Britain, 32, 35, 65
- Zegeer, C., and M.J. Cynecki, 93, 94
- Zegeer, C., et al., 3, 65
- Zigzag markings at uncontrolled crossings, 35